GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - Water Resources Department – Allegations of irregularities in the works of SRBC Package No.38, taken up by the Water Resources Department in Kurnool District – Disciplinary proceedings against certain Engineers of Water Resources Department under Rule 24 of APCS (CC&A) Rules, 1991 - Appointment of Sri Kiran Kumar Mulakala Cheruvu Chief Engineer, Quality Control Wing for Rayalasema Region, Kadapa, WRD, AP in place of Sri J.Satyanarayana, IPS(Retired), Commission of Inquiries, General Administration Department, as Inquiring Authority-Orders – Issued.

WATER RESOURCES (Vig.II(A2)) DEPARTMENT

G.O.RT.No. 580 Dated: 31-10-2025

Read the following:-

1. G.O.Rt.Nos. 332-340, WR (Vig.II(V&E-A1)Dept., Dated: 29.06.2020.
2. G.O.Rt.No 67, WR(Vig.II) Dept, dated: 12.02.2024.
3. Representation from Sri Y. Venakata Ramana, DEE(Rtd), dated: 28.07.2025
4. Representation from Sri. K. RamaKrishna Reddy, TO(Rtd), dated: 26.06.2025.

<< >>

O R D E R

Whereas, an enquiry under Rule 24 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 read with Rule-24 of the said rules is being held against the following officers.

Sl.No.	Name of the Officer	Designation
1	G.Srinivasulu	EE
2	M.Prakash Rao	EE (Rtd)
3	Y.Venkataramana	EE
4	S.Venkata Ramana	DEE
5	R.Ravi Naik	AE
6	Y. Subba Rao,	AE (Rtd)
7	K.Ramakrishna Reddy	T.O

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said officers.

3. And whereas, vide reference 2nd read above, Sri J. Satyanarayana, IPS(Retired), Commission of Inquiries, General Administration Department was appointed as Inquiry Authority to inquire into the charges framed against the above said seven(7) officers.

4. And whereas, vide reference 3rd and 4th read above, the charged officers has requested the Government to appoint another Inquiry Authority, as all the members of the Commission of Inquiries, G.A.(CoI) Dept have tendered their resignation to the Government.

5. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints Sri Kiran Kumar Mulakala Cheruvu Chief Engineer, Quality Control Wing for Rayalasema Region, Kadapa in place of Sri J. Satyanarayana, IPS(Retired), Commissioner of Inquiries, General Administration Department as the Inquiring Authority to inquire into the charges framed against the above said seven(7) officers.

6. Copies of reports, charge memoranda and Written Statements of Defences submitted by the charged Officers are forwarded herewith to the Inquiring Authority. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiring Authority is requested to complete the inquiry as required under Rule 20 of APCS (CC&A) Rules, 1991 as per the instructions issued vide G.O.Ms.No.91. GA(Ser.c) Dept, dt: 12.09.2022 and submit the inquiry report within two months.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G SAI PRASAD
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri Kiran Kumar Mulakala Cheruvu Chief Engineer, Quality Control Wing for Rayalasema Region, Kadapa and Inquiry Authority in this case (through the Engineer-in-Chief (AW), Water Resources Department, A.P., Vijayawada.) (w.e.)
Sri Vittal Prasad Rayalla, SE, HNNS Circle-3, Madanapalle, Water Resources Department, A.P and Presenting Officer in this case (through the Engineer-in-Chief (AW), Water Resources Department, A.P., Vijayawada.)
Copy to:
The individuals through the Engineer-in-Chief (AW), Water Resources Department, A.P., Vijayawada.
The Engineer-in-Chief (AW), Water Resources Department, Vijayawada.
The Secretary, AP Vigilance Commission, 5th Building, A.P. Secretariat, Velagapudi, Amaravathi.
The General Administration (COI) Department.
S.F/S.C.